



# UFO Source Energy Battery Technology Co., Ltd.

Tel:+86-755-84535976 Email:mike@ufo-battery.com Http://www.ufo-battery.com  
Add:Rm No. 1502-1503, Genzon Times Square Bldg A, Long Gang District, Shenzhen, 518172, China

## Lithium Polymer Cell List-Large Capacity Series

Model	Voltage (V)	Capacity (mAh)	Size(mm)			Weight (g)
			Thickness	Width	Length	
425085	3.7	2000	4.2±0.2	50±0.5	85±0.5	37.5
436070	3.7	2000	4.3±0.2	60±0.5	70±1.0	36.0
475370	3.7	2000	4.7±0.2	53±0.5	70±1.0	35.0
505068	3.7	2000	5.0±0.2	50±0.5	68±0.5	34.0
524969	3.7	2000	5.0±0.2	48.5±0.5	68.5±0.5	35.0
525068	3.7	2000	5.2±0.2	50±0.5	68±1.0	36.0
533496	3.7	2000	5.3±0.2	34±0.5	96±1.0	35.0
585060	3.7	2000	5.8±0.2	50±0.5	60±0.5	36.0
684260	3.7	2000	6.8±0.3	42±0.5	60±0.5	36.0
703482	3.7	2000	6.7±0.3	34±0.5	82±1.0	36.0
773465	3.7	2000	7.7±0.3	34±0.5	65±0.5	35.0
803559	3.7	2000	8.0±0.3	35±0.5	59±1.0	36.0
814154	3.7	2000	8.1±0.3	41±0.5	54±1.0	37.0
883656	3.7	2000	8.8±0.3	36±0.5	56±0.5	36.0
604070	3.7	2000	6.0±0.3	40±0.5	70±0.5	37.0
485763	3.7	2050	4.8±0.2	57±0.5	63±0.5	38.0
485865	3.7	2050	4.8±0.2	58±1.0	64±1.0	37.0
604070	3.7	2050	6.0±0.3	40±0.5	70±0.5	37.0
604765	3.7	2050	6.0±0.3	47±0.5	65±1.0	38.0
704260	3.7	2050	7.0±0.3	42±0.5	60±1.0	36.0
704261	3.7	2050	7.0±0.3	42±0.5	61±0.5	37.0
904248	3.7	2050	9.0±0.3	42±0.5	48±1.0	35.0
366285	3.7	2100	3.6±0.2	62±0.5	85±1.0	39.0
405585	3.7	2100	4.0±0.2	55±0.5	85±1.0	38.0
405585	3.7	2100	4.0±0.2	55±0.5	84±1.0	40.0
485865	3.7	2100	4.8±0.2	58±0.5	65±0.5	39.0
506065	3.7	2100	5.0±0.2	60±0.5	65±1.0	38.0
653482	3.7	2100	6.5±0.3	34±0.5	82±1.0	38.0
4030160	3.7	2100	4.0±0.2	30±0.5	160±0.5	40.0
4030160	3.7	2100	4.0±0.2	30±0.5	160±0.5	40.0
605060	3.7	2100	6.0±0.3	50±0.5	60±0.5	38.5
455085	3.7	2150	4.5±0.2	50±0.5	84±1.0	39.0
505370	3.7	2150	5.0±0.2	53±0.5	70±0.5	40.0
645060	3.7	2150	6.4±0.2	50±0.5	60±0.5	40.0
455085	3.7	2200	4.5±0.2	50±0.5	84±1.0	41.0
573496	3.7	2200	5.7±0.2	34±0.5	95.5±1.0	39.0
575068	3.7	2200	5.7±0.3	50±0.5	68±0.5	39.0
605060	3.7	2200	6.0±0.3	50±0.5	60±0.5	39.0
644765	3.7	2200	6.2±0.3	47±0.5	65±0.5	40.0
663678	3.7	2200	6.6±0.3	36±0.5	78±1.0	40.0
664070	3.7	2200	6.6±0.3	40±0.5	70±1.0	40.0
754260	3.7	2200	7.5±0.3	42±0.5	60±0.5	39.0
802595	3.7	2200	8.0±0.3	25±0.5	95±1.0	38.0



# UFO Source Energy Battery Technology Co., Ltd.

Tel:+86-755-84535976 Email:mike@ufo-battery.com Http://www.ufo-battery.com  
Add:Rm No. 1502-1503, Genzon Times Square Bldg A, Long Gang District, Shenzhen, 518172, China

## Lithium Polymer Cell List-Large Capacity Series

Model	Voltage (V)	Capacity (mAh)	Size(mm)			Weight (g)
			Thickness	Width	Length	
485065	3.7	2250	4.8±0.2	50±0.5	65±0.5	42.0
703580	3.7	2250	7.0±0.3	35±0.5	80±0.5	40.0
506164	3.7	2300	5.0±0.2	61±0.5	64±1.0	41.0
683386	3.7	2300	6.8±0.3	33±0.5	86±1.0	42.0
703482	3.7	2300	7.0±0.3	34±0.5	82±1.0	40.0
703678	3.7	2300	7.0±0.3	36±0.5	78±1.0	43.0
754460	3.7	2300	7.5±0.3	44±0.5	60±0.5	40.0
853465	3.7	2300	8.5±0.3	34±0.5	65±1.0	40.0
863759	3.7	2300	8.6±0.3	37±0.5	59±1.0	41.0
476070	3.7	2350	4.7±0.2	60±0.5	70±0.5	41.0
4842100	3.7	2400	4.8±0.2	42±0.5	100±1.0	45.0
495084	3.7	2400	4.9±0.2	50±0.5	84±0.5	44.5
603496	3.7	2400	6.0±0.3	34±0.5	96±1.0	44.0
703693	3.7	2400	7.0±0.3	36±0.5	78±1.0	44.0
874060	3.7	2400	8.6±0.3	40±0.5	60±0.5	43.0
4842100	3.7	2400	4.8±0.2	42±0.5	100±1.0	43.0
705060	3.7	2450	7.0±0.3	50±0.5	60±1.0	42.0
804460	3.7	2450	8.0±0.3	44±0.5	60±0.5	43.0
455585	3.7	2500	4.5±0.2	55±0.5	85±1.0	47.0
505084	3.7	2500	5.0±0.2	50±0.5	84±1.0	46.0
505085	3.7	2500	5.0±0.2	50±0.5	85±0.5	47.0
506070	3.7	2500	5.0±0.2	60±0.5	70±0.5	47.0
705060	3.7	2500	7.0±0.3	50±0.5	60±1.0	43.0
723482	3.7	2500	7.2±0.3	34±0.5	82±1.0	46.0
923759	3.7	2500	9.2±0.3	37±0.5	59±1.0	45.0
993758	3.7	2500	9.9±0.3	37±0.5	57.5±1.0	45.0
3555120	3.7	2500	3.5±0.2	53±0.5	118±1.0	46.0
3563100	3.7	2550	3.5±0.2	63±0.5	100±1.0	48.0
516269	3.7	2650	5.1±0.2	62±0.5	69±0.5	48.0
486474	3.7	2700	4.8±0.2	64±0.5	74±0.5	49.0
506670	3.7	2700	5.0±0.2	66±0.5	69±0.5	50.0
586164	3.7	2700	5.8±0.2	61±0.5	64±0.5	50.0
804070	3.7	2700	8.0±0.3	40±0.5	70±1.0	48.0
525285	3.7	2750	5.2±0.2	52±0.5	85±1.0	50.0
705560	3.7	2750	7.0±0.3	55±0.5	60±0.5	50.0
804965	3.7	2750	8.0±0.3	48±0.5	62±1.0	48.0
904460	3.7	2750	9.0±0.3	44±0.5	60±1.0	50.0
574396	3.7	2800	5.7±0.2	43±0.5	96±1.0	51.0
606164	3.7	2800	6.0±0.2	61±0.5	64±0.5	51.0
606164	3.7	2800	6.0±0.3	61±0.5	64±1.0	50.0
784667	3.7	2800	7.8±0.3	46±0.5	67±1.0	51.0
854460	3.7	2800	8.5±0.3	44±0.5	60±1	47.0
924260	3.7	2800	9.2±0.3	42±0.5	60±1	51.0



# UFO Source Energy Battery Technology Co., Ltd.

Tel:+86-755-84535976 Email:mike@ufo-battery.com Http://www.ufo-battery.com  
Add:Rm No. 1502-1503, Genzon Times Square Bldg A, Long Gang District, Shenzhen, 518172, China

## Lithium Polymer Cell List-Large Capacity Series

Model	Voltage (V)	Capacity (mAh)	Size(mm)			Weight (g)
			Thickness	Width	Length	
556371	3.7	2850	5.3±0.2	62.2±0.5	69.5±0.5	52.5
605572	3.7	2850	6.0±0.2	55±0.5	72±0.5	52.0
553482	3.7	2900	5.5±0.2	34±0.5	82±0.5	34.0
556370	3.7	2900	5.5±0.2	63±0.5	70±1.0	53.0
605080	3.7	2900	6.0±0.2	50±0.5	80±1.0	
605575	3.7	2900	6.0±0.2	55±0.5	75±1.0	53.0
824070	3.7	2900	8.2±0.3	40±0.5	70±1.0	53.0
834269	3.7	2900	8.3±0.3	42±0.5	69±0.5	53.0
8834105	3.7	2900	8.8±0.3	34±0.5	105±1.0	65.0
4063100	3.7	2900	4.0±0.2	63±0.5	100±0.5	54.0
723693	3.7	2950	7.2±0.3	36±0.5	93±1.0	50.0
743693	3.7	2950	7.4±0.5	36±0.5	93±1.0	53.0
616073	3.7	3000	5.8±0.2	59.5±0.5	71.5±0.5	54.0
635575	3.7	3000	6.3±0.3	55±0.5	75±0.5	53.0
724675	3.7	3000	7.2±0.3	46±0.5	75±0.5	55.0
754474	3.7	3000	7.5±0.3	44±0.5	74±1.0	54.0
805060	3.7	3000	8.0±0.3	50±0.5	60±1.0	53.0
854078	3.7	3000	8.5±0.3	40±0.5	78±1.0	58.0
903482	3.7	3000	9.0±0.3	34±0.5	82±1.0	53.0
4545125	3.7	3000	4.5±0.2	45±0.5	125±1.0	56.0
5535D0	3.7	3000	5.5±0.2	35±0.5	130±1.0	53.0
605085	3.7	3030	6.0±0.3	50±0.5	84±1.0	56.0
606070	3.7	3050	6.0±0.2	60±0.5	70±0.5	55.0
606070	3.7	3050	6.0±0.3	60±0.5	70±1.0	54.0
684388	3.7	3050	6.8±0.3	43±0.5	88±1.0	56.0
596072	3.7	3100	5.9±0.2	59.5±0.5	71±1.0	54.0
4049135	3.7	3100	4.0±0.2	49±0.5	135±1.0	56.0
4240160	3.7	3100	4.2±0.2	40±0.5	160±1.0	57.0
506285	3.7	3150	5.0±0.5	62±0.5	85±1.0	56.0
4240160	3.7	3150	4.2±0.2	40±0.5	160±1.0	57.0
456696	3.7	3200	4.5±0.2	66±0.5	96±1.0	58.0
646070	3.7	3200	6.4±0.3	60±0.5	70±0.5	58.0
676164	3.7	3200	6.7±0.3	61±0.5	64±1.0	56.0
676164	3.7	3200	6.7±0.3	61±0.5	64±0.5	56.0
555590	3.7	3300	5.5±0.2	55±0.5	90±1.0	58.0
905060	3.7	3300	9.0±0.3	50±0.5	60±1.0	57.0
4454110	3.7	3300	4.4±0.2	54±0.5	110±1.0	60.0
606670	3.7	3350	6.0±0.3	66±0.5	70±1.0	61.0
606670	3.7	3350	6.0±0.3	66±0.5	70±1.0	61.0
3969103	3.7	3350	3.9±0.2	69±0.5	103±1.0	60.0
704099	3.7	3400	7.0±0.3	40±0.5	99±1.0	60.0
4069103	3.7	3400	4.0±0.2	69±0.5	103±1.0	61.0
6035130	3.7	3400	6.0±0.3	35±0.5	130±1.0	63.0



# UFO Source Energy Battery Technology Co., Ltd.

Tel:+86-755-84535976 Email:mike@ufo-battery.com Http://www.ufo-battery.com  
 Add:Rm No. 1502-1503, Genzon Times Square Bldg A, Long Gang District, Shenzhen, 518172, China

## Lithium Polymer Cell List-Large Capacity Series

Model	Voltage (V)	Capacity (mAh)	Size(mm)			Weight (g)
			Thickness	Width	Length	
457292	3.7	3500	4.5±0.2	72±0.5	92±1.0	64.0
556877	3.7	3500	5.5±0.2	68±0.5	77±0.5	62.0
685084	3.7	3500	6.8±0.3	50±0.5	84±1.0	62.0
4549135	3.7	3500	4.5±0.2	49±0.5	135±1.0	64.0
4749D5	3.7	3500	4.7±0.2	49±0.5	135±1.0	63.0
706670	3.7	3600	6.7±0.3	66±0.5	70±1.0	65.0
706670	3.7	3600	7.0±0.3	66±0.5	69.5±1.0	70.0
756164	3.7	3600	7.5±0.3	61±0.5	64±1.0	64.0
3446193	3.7	3600	3.4±0.2	46±0.5	193±1.5	67.0
4048158	3.7	3600	4.0±0.2	48±0.5	158±1.0	67.0
5054D0	3.7	3600	5.0±0.2	54±0.5	130±1.0	65.0
457292	3.7	3650	4.5±0.2	72±0.5	92±1.0	67.0
605590	3.7	3650	6.0±0.3	55±0.5	90±1.0	64.0
606376	3.7	3650	6.0±0.2	63±0.5	76±1.0	65.0
5549112	3.7	3650	5.5±0.2	49±0.5	112±1.0	65.0
5051119	3.7	3700	5.0±0.2	51±0.5	119±1.0	65.0
5054D0	3.7	3750	5.3±0.2	54±1.0	130±1.0	67.0
684698	3.7	3800	6.8±0.3	46±0.5	98±1.0	70.5
685585	3.7	3900	6.8±0.3	55±0.5	85±1.0	71.0
806164	3.7	3900	8.0±0.3	61±0.5	64±0.5	69.0
5040160	3.7	3900	5.0±0.2	40±0.5	160±1.0	73.0
5042148	3.7	3900	5.0±0.2	42±0.5	148±1.0	70.0
536696	3.7	3950	5.3±0.2	66±0.5	96±1.0	73.0
8836105	3.7	3950	8.8±0.3	36±0.5	105±1.0	73.0
359797	3.7	4000	3.5±0.2	97±0.5	97±1.0	73.0
4955125	3.7	4000	4.9±0.2	55±0.5	125±1.0	74.0
526696	3.7	4000	5.2±0.2	66±0.5	95.5±1.0	71.0
536696	3.7	4000	5.3±0.2	66±0.5	96±1.0	74.0
665590	3.7	4000	6.6±0.3	55±0.5	90±1.0	73.0
7035135	3.7	4000	7.0±0.3	35±0.5	135±1.0	
785085	3.7	4000	7.8±0.3	50±0.5	85±1.0	72.0
795085	3.7	4000	7.9±0.3	50±0.5	84±1.0	73.0
836164	3.7	4000	8.3±0.3	61±0.5	64±0.5	71.0
3049275	3.7	4000	max3.0	max49	max275	75.0
5451119	3.7	4000	5.4±0.2	51±0.5	119±1.0	72.0
6240132	3.7	4000	6.2±0.3	40±0.5	132±1.0	70.0
A03496	3.7	4000	10.0±0.3	34±0.5	96±1.0	69.0
6045125	3.7	4050	6.0±0.3	45±0.5	125±1.0	72.0
546696	3.7	4100	5.4±0.2	66±0.5	96±1.0	74.0
546696	3.7	4100	5.4±0.2	66±0.5	96±1.0	74.0
805084	3.7	4100	8.0±0.3	50±0.5	84±1.0	71.0
A05068	3.7	4100	10.6±0.5	50±0.5	68±0.5	73.0
8042100	3.7	4100	8.0±0.3	42±0.5	100±1.0	72.0



# UFO Source Energy Battery Technology Co., Ltd.

Tel:+86-755-84535976 Email:mike@ufo-battery.com Http://www.ufo-battery.com  
Add:Rm No. 1502-1503, Genzon Times Square Bldg A, Long Gang District, Shenzhen, 518172, China

## Lithium Polymer Cell List-Large Capacity Series

Model	Voltage (V)	Capacity (mAh)	Size(mm)			Weight (g)
			Thickness	Width	Length	
546696	3.7	4100	5.3±0.2	66±0.5	96±1.0	75.0
805084	3.7	4100	8.0±0.3	50±0.5	84±1.0	71.0
5055125	3.7	4200	5±0.2	55±0.5	125±1.0	77.0
6043134	3.7	4200	6.0±0.2	43±0.5	134±1.0	77.0
8042100	3.7	4200	8.0±0.3	42±0.5	100±1.0	75.0
5554D0	3.7	4200	5.5±0.2	54±1.0	130±1.0	74.0
8836110	3.7	4250	8.8±0.3	36±0.5	110±1.0	76.0
566696	3.7	4300	5.6±0.2	66±0.5	96±1.0	75.0
705590	3.7	4350	7.0±0.3	55±0.5	90±1.0	76.0
706285	3.7	4400	7.0±0.3	62±0.5	85±1.0	80.0
875575	3.7	4400	8.7±0.3	55±0.5	75±1.0	79.0
8235125	3.7	4400	8.2±0.3	35±0.5	125±1.0	80.0
5269103	3.7	4450	5.2±0.2	69±0.5	103±1.0	80.0
5549135	3.7	4500	5.5±0.2	49±0.5	135±1.0	82.0
884396	3.7	4500	8.8±0.3	43±0.5	96±1.0	82.0
905575	3.7	4500	9.0±0.3	55±0.5	75±1.0	81.0
4060160	3.7	4500	4.0±0.2	60±0.5	160±1.0	82.0
6043143	3.7	4600	6.0±0.3	43±0.5	143±1.0	82.0
8235D0	3.7	4600	8.2±.3	35±0.5	130±1.0	82.0
746285	3.7	4700	7.4±0.3	62±0.5	84.5±1.0	83.0
35A0C0	3.7	4700	3.5±0.2	100±1.0	120±1.0	87.0
7045125	3.7	4800	7.0±0.3	45±0.5	125±1.0	87.0
7045C5	3.7	4800	7.0±0.3	45±0.5	125±1.0	87.5
7045125	3.7	4850	7.0±0.3	45±0.5	125±1.0	86.0
606696	3.7	4900	6.0±0.2	66±0.5	96±1.0	86.0
954396	3.7	4950	9.5±0.5	43±0.5	96±10	88.0
805590HC	3.7	5000	8.0±0.3	55±0.5	90±1.0	89.0
865084	3.7	5000	8.6±0.3	50±0.5	84±1.0	90.0
866474	3.7	5000	8.6±0.3	64±0.5	74±1.0	87.0
976070	3.7	5000	9.7±0.3	60±0.5	70±1.0	91.0
7051119	3.7	5000	7.0±0.3	51±0.5	119±1.0	90.0
3574190	3.7	5000	3.5±0.2	70±1.0	170±1.5	88.0
5554D0	3.7	5000	5.5±0.3	54±0.5	130±1.0	88.0
5754D0	3.7	5000	5.7±0.2	54±0.5	130±10	87.0
6049135	3.7	5000	6.0±0.3	49±0.5	135±1.0	87.0
6554D0	3.7	5000	6.5±0.3	54±0.5	130±1.0	93.0
A05575	3.7	5000	10.0±0.3	55±0.5	75±1.0	90.0
9842100	3.7	5100	9.8±0.3	42±0.5	100±10	91.0
896474	3.7	5150	8.9±0.3	64±0.5	74±1.0	93.0
686696	3.7	5200	6.8±0.3	66±0.5	96±1.0	91.0
6542148	3.7	5200	6.5±0.3	42±0.5	148±1	91.0
6563100	3.7	5300	6.5±0.3	63±0.5	100±1.0	91.0
7055110	3.7	5300	7.0±0.3	55±0.5	110±1.0	97.0



# UFO Source Energy Battery Technology Co., Ltd.

Tel:+86-755-84535976 Email:mike@ufo-battery.com Http://www.ufo-battery.com  
 Add:Rm No. 1502-1503, Genzon Times Square Bldg A, Long Gang District, Shenzhen, 518172, China

## Lithium Polymer Cell List-Large Capacity Series

Model	Voltage (V)	Capacity (mAh)	Size(mm)			Weight (g)
			Thickness	Width	Length	
7645125	3.7	5300	7.6±0.3	45±0.5	125±1.0	95.0
7051119	3.7	5400	7.0±0.3	51±0.5	119±1.0	95.0
7563100	3.7	5400	7.4±0.3	63±0.5	100±1.0	103.0
6054D0	3.7	5400	6.0±0.3	54±0.5	130±1.0	93.0
3895130	3.7	5500	3.8±0.2	95±1.0	130±1.0	102.0
3997133	3.7	5500	3.9±0.2	97±1.0	133±1.0	117.0
3997133	3.7	5500	3.9±0.2	97±1.0	133±1.0	117.0
4058190	3.7	5500	4.0±0.2	58±0.5	190±1.5	102.0
6849135	3.7	5500	6.8±0.3	49±0.5	135±1.0	95.0
6354D0	3.7	5600	6.3±0.3	54±0.5	130±1.0	100.0
706696	3.7	5650	7.0±0.3	66±0.5	96±1.0	105.0
7049135	3.7	5700	7.0±0.3	49±0.5	135±1.0	102.0
50A0A0	3.7	5900	5.0±0.2	97±1.0	100±1.0	108.0
53B0C0	3.7	6000	5.3±0.2	110±1.0	120±1.0	141.0
5080140	3.7	6000	4.8±0.2	79±0.5	138±1.0	125.0
6059135	3.7	6000	6.0±0.3	59±0.5	135±1.0	107.0
6854130	3.7	6100	6.8±0.3	54±0.5	130±1.0	111.0
7249135	3.7	6300	7.2±0.3	49±0.5	135±1	110.0
806696	3.7	6350	8.0±0.3	66±0.5	96±1.0	108.0
35100160	3.7	6600	3.5±0.2	100±1.0	160±1.0	120.0
7063130	3.7	6700	6.6±0.3	62±0.5	129±0.5	124.0
7868100	3.7	6700	7.8±0.3	68±0.5	100±1.0	124.0
8951119	3.7	6800	8.9±0.3	51±0.5	119±1.0	120.0
6267130	3.7	6900	6.2±0.3	67±0.5	130±1.0	126.0
7063130	3.7	7000	7.0±0.3	63±0.5	130±1.0	133.0
35125137	3.7	7000	3.5±0.2	125±1.0	137±1.0	125.0
916696	3.7	7200	9.1±0.3	66±0.5	96±1.0	123.0
5074170	3.7	7200	5.0±0.2	70±1.0	170±2.0	136.0
7058150	3.7	7800	7.0±0.3	58±0.5	150±1.0	140.0
75100100	3.7	8500	7.5±0.3	98±1.0	100±1.0	173.0
A069103	3.7	8600	10.0±0.3	69±0.5	103±1.0	174.0
809797	3.7	8800	8.0±0.3	97±0.5	97±1.0	169.0
A055135	3.7	9500	10.0±0.3	55±0.5	135±1.0	169.0
9059156	3.7	10000	9.0±0.3	59±0.5	155±1.5	178.0
7070170	3.7	10800	6.9±0.3	70±1.0	170±1.5	200.0
7070170	3.7	11000	7.0±0.3	70±0.5	170±1.0	195.0
7570170	3.7	11300	7.3±0.3	70±1.0	170±1.5	195.0
55100200	3.7	12000	5.2±0.2	98.5±1.0	197±2.0	250.0
A074J0	3.7	12600	8.0±0.3	70±1.0	170±1.0	220.0
A080135	3.7	14000	10.0±0.3	80±1.0	135±1.0	245.0
A070170	3.7	14300	10.0±0.3	70±0.5	170±1.5	245.0
75A5J0	3.7	15000	7.5±0.3	105±1.0	170±1.5	305.0
8774190	3.7	16000	9.0±0.3	74±1.0	190±2.0	295.0



# UFO Source Energy Battery Technology Co., Ltd.

Tel:+86-755-84535976 Email:mike@ufo-battery.com Http://www.ufo-battery.com  
Add:Rm No. 1502-1503, Genzon Times Square Bldg A, Long Gang District, Shenzhen, 518172, China

## Lithium Polymer Cell List-Large Capacity Series

Model	Voltage (V)	Capacity (mAh)	Size(mm)			Weight (g)
			Thickness	Width	Length	
6868275	3.7	16700	6.8±0.3	68±0.5	75±0.5	300.0
7267275	3.7	17000	7.2±0.3	67±1.0	273±2.0	310.0
8555275	3.7	18000	8.6±0.3	55±1.0	271±1.5	300.0
8067275	3.7	19000	7.9±0.3	67±1.0	273±2.0	333.0
A055275	3.7	21000	10.0±0.3	55±0.5	271±1.5	360.0
90134175	3.7	28300	9.0±0.3	134±1.0	175±2	485.0