

UFO® Battery Model List (Date updated: December 6, 2014)

No.	Model	Material	Centre Distance (±2mm)	Tap (mm)	MAX Thickness (mm)	MAX Width (mm)	MAX Height (mm)	Normal Capacity mAh	Min Capacity mAh	internal resistance (≤mΩ)
1	330819	Li-C	3	1.5	3.5	8.3	19.5	50	45	600
2	700916	Li-C	5	1.5	7.0	9.0	16.0	50	45	600
3	320927	Li-C	4	2	3.4	9	27.5	40	38	400
4	320934	Li-C	4	2	3.3	9.5	34.5	65	65	320
5	381120	Li-C	5	2	3.8	11.5	20.5	50	47	370
6	481120	Li-C	5	2	4.8	11.5	20.5	80	65	450
7	551153	NM82-C	5	2	5.7	11.8	53.5	250	250	140
8	231211	Li-C	5	2	2.3	16.0	12.5	15	13	1400
9	401220	Li-C	5	2	4.0	12.0	20.5	60	50	450
10	351221	Li-C	6	2	3.5	12.5	22.0	52	50	480
11	401229	Li-C	6	2	4.1	12.5	29.5	110	100	250
12	461229	Li-C	6	2	4.6	12.0	29.5	125	115	380
13	501229	Li-C	6	2	5.0	12.5	29.5	150	140	330
14	251230	Li-C	5	2	2.6	12.5	30.0	75	70	420
15	501230	Li-C	6	2	5.0	12.5	30.5	150	145	160
16	501235	Li-C	6	2	5.2	12.5	35.5	170	165	160
17	651235	Li-C	6	2	6.5	12.5	35.5	220	210	140
18	401240	Li-C	6	2	4.6	11.5	38.5	180	175	220
19	571319	Li-C	6	2	5.7	12.5	19.0	95	90	300
20	581320	Li-C	6	2	5.7	12.5	22.0	110	110	300
21	551335	Li-C	6	2	5.3	13.0	34.5	205	200	160
22	331363	Li-C	6	2	3.4	13.5	63.5	260	250	170
23	351363	Li-C	6	2	3.3	13.3	63.5	260	250	170
24	521363	Li-C	6	2	5.3	13.5	63.5	410	400	120
25	331419	Li-C	6	2	3.3	14.5	20.0	45	45	700
26	401419	Li-C	6	2	4.0	14.0	18.0	60	58	320
27	551429	Li-C	6	2	5.8	14.5	28.5	180	170	160
28	601429	Li-C	6	2	6.1	14.5	29.5	220	220	150
29	541445	Li-C	6	2	5.6	14.3	45.5	300	280	150
30	801519	Li-C	8	2	8.0	15.0	19.0	150	150	240
31	401618	Li-C	6	2	4.2	16.5	18.5	90	85	360
32	751635	Li-C	6	2	7.3	16.0	34.0	380	360	150
33	461643	Li-C	6	2	4.7	16.5	43.5	320	310	90
34	301822	Li-C	8.5	1.5	3.1	17.7	22.0	90	80	400
35	431846	Li-C	8	2	4.0	18.5	45.5	400	380	80
36	401846	Li-C	8	2	4.0	18.0	45.5	390	380	80
37	481928	Li-C	10	2	4.8	20.0	28.5	250	240	180
38	252022	Li-C	10.5	1.5	2.5	20.0	22.0	65	55	500
39	582027P	Li-C	8	2	5.8	20.5	27.5	250	250	80
40	602028	Li-C	8	2	5.9	19.5	28.5	300	290	120
41	782029	Li-C	7	2	7.8	20.0	28.5	400	380	120
42	802027	NM82-C	8	2	8.0	20.0	28.5	350	330	120
43	302030	Li-C	7	2	3.0	20.5	30.5	140	130	170
44	382030	Li-C	10	2	4.0	20.5	30.5	180	170	170
45	502030	Li-C	9	2	4.9	20.0	30.5	250	240	140
46	532030	Li-C	10	3	5.3	20.5	31.0	200	200	100
47	602030	Li-C	8	2	6.3	20.5	30.5	320	310	90
48	432035	Li-C	10	2	4.3	20.0	34.5	300	280	120

49	582035	Li-C	10	2	5.8	20.3	35.5	360	350	160
50	522038	Li-C	10	2	5.3	20.5	38.5	400	380	90
51	402040	Li-C	10	2	4.1	20.5	38.5	280	280	180
52	362127	Li-C	13	2	3.7	21.8	27.5	200	190	180
53	602227	Li-C	11	2	6.0	22.5	27.5	360	350	150
54	722232	Li-C	8	2	7.2	22.0	32.0	500	490	80
55	952235	Li-C	8	2	9.3	21.5	33.5	700	680	80
56	502236	Li-C	11.5	2	5.0	22.0	36.0	365	365	120
57	702236	Li-C	9	2	7.0	22.0	36.0	500	500	100
58	502248	CM82-C	9	2	5.0	22.0	48.0	450	450	80
59	902323	Li-C	8	2	8.9	23.0	23.0	400	400	100
60	602426	Li-C	12	2	6.1	24.5	26.5	330	310	110
61	522438	Li-C	13	3	5.1	24.0	37.0	480	480	80
62	102459	Li-C	8	3	10.2	24.5	59.5	1400	1350	60
63	562529	Li-C	10	2	5.50	25.0	28.5	400	390	140
64	652532	Li-C	13	2	6.50	25.5	32.5	480	480	110
65	622533	Li-C	14	2	6.20	24.8	33.5	530	530	120
66	552535	Li-C	12	2	5.50	25.0	35.0	450	450	90
67	802540	Li-C	11	6	8.20	25.5	40.0	580	580	60
68	312552	Li-C	12	2	3.30	25.5	52.5	480	450	120
69	3825107	Li-C	10	3	3.80	25.0	107.5	1000	1000	90
70	552834	NM64-C	15	2	5.50	28.2	35.0	450	420	80
71	082940	Li-C	21	2	1.00	30.0	40.0	80	75	350
72	622940	Li-C	15	5	6.40	29.5	40.5	700	690	80
73	682940	Li-C	15	3	7.00	30.0	41.0	800	800	80
74	8529127	Li-C	12	5	8.70	29.5	127.0	3500	3400	40
75	453030	Li-C	18	3	4.50	30.0	30.0	360	360	80
76	633030	Li-C	14	3	6.20	30.0	30.5	610	600	90
77	723034	Li-C	15	3	7.30	30.5	34.5	750	750	80
78	283040	Li-C	22	2	2.80	30.5	40.5	300	290	120
79	403040	Li-C	22	2	3.90	30.5	40.5	450	450	120
80	503040	Li-C	18	3	5.00	30.5	40.5	600	600	70
81	583040	Li-C	15	3	5.60	30.5	40.5	660	660	100
82	233044	Li-C	15	2	2.30	30.0	44.0	240	220	150
83	503044	Li-C	19	3	5.00	30.0	44.0	700	700	100
84	503035	Li-C	12	2	4.85	29.5	33.5	520	500	90
85	103035	Li-C	15	3	9.80	29.5	33.5	1100	1000	90
86	403048	Li-C	12	3	4.05	30.5	48.0	600	580	100
87	503048	Li-C	20	3	4.80	30.0	48.0	720	700	90
88	613048	Li-C	15	5	6.20	30.5	48.5	800	780	40
89	483070	NM82-C	15	3	5.00	30.0	71.0	1100	1050	40
90	823070	Li-C	15	4	8.20	30.0	71.0	2000	1900	50
91	253268	Li-C	22	3	2.50	32.0	68.0	400	350	100
92	703331	Li-C	16	3	7.00	33.0	30.5	800	780	80
93	603365	Li-C	20	3	6.00	33.5	65.5	1400	1350	40
94	453448	Li-C	20	3	4.35	34.3	48.5	720	700	90
95	703448	Li-C	12	3	6.80	34.0	46.0	1300	1200	70
96	603456	Li-C	15	5	6.00	34.0	56.0	1300	1235	60
97	653465	Li-C	17	3	6.30	34.5	65.5	1800	1750	50
98	783465	Li-C	17	5	8.00	34.5	65.5	2000	2000	30
99	243534	Li-C	23	2	2.40	34.5	32.5	220	200	180
100	503541	Li-C	18	3	5.00	34.5	39.0	700	670	80
101	203545	Li-C	22	2	2.20	35.0	45.0	270	250	160
102	233545	Li-C	22	2	2.40	36.0	45.0	300	300	150

103	233545	Li-C	26	3	2.30	35.0	45.0	320	300	120
104	373552	Li-C	17	3	3.70	35.2	52.5	720	720	90
105	383552	Li-C	17	3	3.80	35.2	52.5	800	750	100
106	553559	N-C	21	5	5.50	35.5	59.5	1200	1100	80
107	663650	Li-C	18	3	6.30	36.0	50.5	1200	1200	80
108	753650	Li-C	17	4	7.70	36.5	50.5	1400	1370	60
109	803650	Li-C	18	3	7.90	37.0	50.5	1600	1600	60
110	113650	Li-C	20	4	11.00	36.0	50.0	2500	2400	60
111	533759	Li-C	48	5	5.30	37.0	59.0	1350	1300	75
112	603759	Li-C	18	4	6.10	37.0	59.0	1500	1500	60
113	243843	Li-C	16	2	2.40	38.0	43.5	350	340	170
114	603943	Li-C	18	3	5.90	39.0	43.5	1000	1000	70
115	654048	NM82-C	28	3	6.50	40.5	48.5	1200	1200	60
116	884048	Li-C	20	5	9.00	40.5	48.5	2050	2000	40
117	634050	Li-C	18	30	6.10	40.5	48.5	1300	1300	80
118	854153	Li-C	20	4	8.60	41.0	53.0	2000	1950	40
119	444260	Li-C	20	4	4.40	42.0	60.0	1200	1200	60
120	604343	Li-C	32	3	6.15	43.5	43.0	1400	1350	80
121	704374	N-C	24	5	7.20	43.5	74.5	2000	1900	60
122	634388	Li-C	21	3	6.50	42.5	88.5	2800	2800	50
123	754356	Li-C	28	4	7.50	43.0	56.0	2400	2250	60
124	104356	Li-C	26	5	10.70	43.0	56.0	3500	3300	60
125	904464	N-C	20	5	9.00	44.5	65.0	3000	2900	70
126	404567	NM82-C	20	5	4.20	45.5	67.5	900	950	50
127	504680	Li-C	22	5	5.10	46.5	80.5	2000	1940	60
128	604580	NM82-C	22	4	5.90	46.5	80.5	2250	2250	60
129	1004580	NM82-C	22	5	12.00	45.5	81.0	4500	4500	50
130	584859	Li-C	32	4	5.80	48.0	58.0	2000	2000	100
131	384860	Li-C	32	3	3.80	48.5	60.5	1150	1100	60
132	634858(634854)	Li-C	30	4	6.10	47.5	54.5	2100	2000	60
133	554863	Li-C	30	4	5.60	48.5	63.5	2200	2150	40
134	854863	Li-C	30	4	8.70	48.0	63.0	3200	3100	40
135	904863	Li-C	30	4	9.30	48.0	63.0	3500	3400	40
136	6249135	Li-C	25	5	6.20	49.5	135.5	5000	4800	35
137	485060	Li-C	24	4	4.90	50.3	59.5	1500	1500	60
138	555060	Li-C	24	4	5.50	50.0	60.0	2000	1900	120
139	325085	Li-C	25	5	3.30	50.5	85.5	1500	1470	50
140	605085	Li-C	30	5	6.00	50.0	85.5	3000	3000	60
141	985472	Li-C	24	5	9.80	54.5	72.0	5000	4800	45
142	455573	NM82-C	21	3	4.70	55.5	47.5	2000	2000	50
143	655490	Li-C	22	5	6.70	55.5	90.5	3800	3700	40
144	505590	Li-C	34	5	5.20	55.5	90.5	3000	2950	40
145	955590	Li-C	26	5	9.70	55.5	90.5	5000	4800	40
146	975858	NM82-C	26	5	9.80	58.5	58.5	3300	3150	65
147	416066	Li-C	40	5	4.10	60.5	66.0	1700	1600	50
148	6061106	Li-C	30	5	6.10	61.0	104.5	5000	4900	40
149	7861106	Li-C	30	5	7.40	60.8	104.5	6000	5900	35
150	376269	Li-C	30	3	3.70	62.0	69.0	1875	1875	60
151	496269	Li-C	32	4	4.90	62.0	69.0	2800	2700	50
152	706285	N-C	25	5	7.10	62.0	85.5	4400	4100	40
153	3564120	Li-C	27	5	3.70	64.5	120.5	3600	3500	30
154	556695	NM82-C	32	5	5.60	66.5	95.5	4100	4000	40
155	556695	Li-C	32	5	5.60	66.5	95.5	4800	4700	40
156	626695	Li-C	32	5	6.30	66.0	95.5	5000	5000	50

157	856695	Li-C	32	5	8.60	66.0	95.0	7400	7300	40
158	3569133	Li-C	32	5	3.60	69.5	133.5	4100	4000	35
159	327095	Li-C	32	5	3.15	70.5	95.5	2500	2400	40
160	337095	Li-C	32	5	3.40	70.5	95.5	3000	2800	40
161	357095	Li-C	32	5	3.50	70.5	95.5	2800	2750	40
162	357095	Li-C	32	5	3.60	70.5	95.5	2900	2800	35
163	367587	Li-C	32	5	3.80	75.5	87.5	3000	2900	35
164	407587	Li-C	32	5	4.10	75.5	87.5	3100	3000	35
165	4075135	Li-C	30	5	4.10	75.5	135.5	4800	4700	30
166	588080	NM82-C	24	5	5.80	80.5	81.0	4300	4150	60
167	3297109	Li-C	39.5	5	3.20	97.0	109.0	4200	4100	50
168	76100100	Li-C	55	15	7.6	100.5	101.0	10000	9500	15
169	8070170	Li-C	42	15	8.0	70	170.0	12600	12000	30